

図1  
Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 4




Fig. 5




Fig. 6




Fig. 7





図8  
Fig. 8



8/16

- (103) antenna
- (104) vibrator portion
- (105) operating portion
- (105a) first operating portion
- (105b) second operating portion
- (106) receiver
- (107) speaker
- (108) microphone
- (109) camera portion
- (110) first Hall element
- (111) second Hall element
- (112) display portion
- (115) transmitting/receiving portion
- (116) data converting portion
- (117) voice processing portion
- (118) image processing portion
- (119) information recording portion
- (120) control portion
- (122) battery





FIG. 10




Fig. 11





図1-2  
Fig. 12

## Mode switch

## (501) Voice communicating mode

TEL incoming call

TEL transmission

Mail arrival

## (502) Non-voice communicating mode

TEL incoming call

Mail arrival

Character and image display

Mail transmission

## (503) Camera mode

TEL incoming call


Mail arrival

Dynamic and static image photographing

Image record and read

図13

Fig. 13



(ST1) Waiting state

(ST2) Incoming call ?

(ST3) Manner mode ?

(ST4) Give incoming call sound from speaker

(ST5) Operate vibrator portion

(ST6) Receiving operation

(ST7) First opening state ?

(ST8) Output from receiver

(ST9) Output from speaker

(ST10) Waiting state

Fig. 14




Fig. 15




Fig. 16

Fig. 16

	レシーバ ⑤	⑩ スピーカ		カメラ部 による撮 影 ⑭	⑭ 表示部		
		ハンズフリー 時の音声出力	着信音 ⑮		⑪ 通常の使用状態 (受信待受状態など)	⑫ 撮影中の 表示画像	⑬ 再生画像
① 第1の開状態	OFF	OFF	ON(出力) ⑯	⑬ 可能	ON (時刻等を表示)	⑬ 反鏡像	⑬ 反鏡像
② 第2の開状態	OFF	OFF	ON	⑭ 不可	OFF	⑬ 表示しない	⑬ 表示しない
③ 第1の開状態	ON(出力) ⑮	OFF	ON	⑮ 可能	⑮ OFF (カメラ部が動作してい るときは、 撮像画像が表示可能)	⑮ 鏡像	⑮ 反鏡像
④ 第2の開状態	OFF	ON (出力) ⑯	ON	⑯ 可能	ON	⑯ 反鏡像	⑯ 反鏡像

15/16

- First closing state
- Second closing state
- First opening state
- Second opening state
- Receiver
- Output
- Speaker
- Voice output in hands-free
- Output
- Incoming call sound
- Output
- Photographing by camera portion
- Possible
- Impossible
- Possible
- Possible
- Display portion
- Normal using state (receipt waiting state)

⑭ Display time  
(A photographed image can be displayed during the operation of the camera portion)

⑮ Display image during photographing

⑯ Reverse mirror image

⑰ No display

⑱ Mirror image

⑲ Reverse mirror image

⑳ Reproduced image

㉑ Reverse mirror image

㉒ No display

㉓ Reverse mirror image

㉔ Reverse mirror image

Fig. 17

